

New OEM approval: RAVENOL WIV SAE 0W-30

We are happy to be able to present the following product with an **additional approval** from Volkswagen: **RAVENOL WIV SAE 0W-30**

Now new with the Volkswagen approvals:
VW 503 00 / 506 00 / 506 01

BACKGROUND INFORMATION ON THE SPECIFICATIONS VW 503 00 / 506 00 / 506 01:

- **VW 503 00**
Exceeds the requirements for VW 502 00 (HTHS 2.9-3.4) and is suitable for petrol engines with extended maintenance intervals (WIV up to 30,000 km / 2 years). VW 503 00 has been superseded by VW 504 00.
- **VW 506 00**
For pump-nozzle injection diesel engines without extended maintenance intervals.
- **VW 506 01**
For pump-nozzle injection diesel engines with extended maintenance intervals (WIV).

Oils with VW approvals 503 00 / 506 00 and 506 01 can be used for petrol and diesel engines with and without pump-nozzle injection units and extended maintenance intervals (WIV) from model year 2000 onwards. For pump-nozzle injection engines with extended maintenance intervals (WIV) specification 506 01 is to be used from 05/2001. A lubricant complying with specification 506 01 is currently still mandatory for R5 and V10 TDI engines manufactured prior to June 2006.

RAVENOL WIV SAE 0W-30 has successfully passed the following additional VW «in house» engine tests:

- PV 5106 Cam & Tappet wear test – VW 503 00, 506 00, 506 01
- M111SI Sludge – VW 503 00
- PV1449 T-4 (Benzin) – VW 503 00
- PV1451 Fuel Economy – VW 503 00
- RNT¹⁾ TDI - PD VTW - VW 503 00 (350 h), VW 506 00 (350 h), VW 506 01 (650 h)
- Field Test Passat 1.9 TDI-PD – VW 506 00 (100 kkm), VW 506 01 (100 Nkkm)
- Durability in-house VW/Audi – VW 503 00 (Benzin), VW 503 01 (Benzin), VW 506 00 (VEP Diesel), VW 506 01 (VEP Diesel, PD Diesel)

¹⁾RNT - Radio Tracer technique for real time wear rate measurements on a running engine.



RAVENOL WIV SAE 0W-30

RAVENOL WIV SAE 0W-30 is a fully synthetic PAO-based low friction engine oil with CleanSynto® technology. It was specially developed for VW and Audi petrol and diesel engines (from model year 2000 onwards with WIV extended oil change intervals). **RAVENOL WIV SAE 0W-30** reduces friction, wear and tear and fuel consumption as well as delivering excellent cold start performance. It allows oil change intervals to be extended in accordance with manufacturer instructions. **RAVENOL WIV SAE 0W-30** enables maintenance intervals to be significantly extended and offers excellent cold start performance, as the system is more rapidly lubricated. It guarantees reduced friction losses and high oil film stability, as well as outstanding viscosity-temperature characteristics.

SPECIFICATIONS:

ACEA A5 / B5

APPROVALS:

VW 503 00 / 506 00 / 506 01

New OEM approval: RAVENOL WIV SAE 0W-30

We are happy to be able to present the following product with an **additional approval** from Volkswagen: **RAVENOL WIV SAE 0W-30**

Now new with the Volkswagen approvals:
VW 503 00 / 506 00 / 506 01

VEHICLE RECOMMENDATIONS:



RAVENOL WIV SAE 0W-30

RAVENOL WIV SAE 0W-30 is a fully synthetic PAO-based low friction engine oil with CleanSynto® technology. It was specially developed for VW and Audi petrol and diesel engines (from model year 2000 onwards with WIV extended oil change intervals). **RAVENOL WIV SAE 0W-30** reduces friction, wear and tear and fuel consumption as well as delivering excellent cold start performance. It allows oil change intervals to be extended in accordance with manufacturer instructions. **RAVENOL WIV SAE 0W-30** enables maintenance intervals to be significantly extended and offers excellent cold start performance, as the system is more rapidly lubricated. It guarantees reduced friction losses and high oil film stability, as well as outstanding viscosity-temperature characteristics.

ARTICLE NUMBER PACKAGE SIZES

1111101-001	20 x 1 L bottle
1111101-004	4 x 4 L bottle
1111101-005	4 x 5 L bottle
1111101-010	1 x 10 L can
1111101-020	1 x 20 L Bag in Box
1111101-020	1 x 20 L can
1111101-060	1 x 60 L design barrel
1111101-060	1 x 60 L barrel
1111101-208	1 x 208 L design barrel
1111101-208	1 x 208 L barrel
1111101-700	1 x 1000 L IBC

VW-NORM 503 00

AUDI

A2 1.4 (2000-2005)
A3 1.6 8L(2000-2003)
A3 1.6 (2003-2008)
A4 1.8T (2005-)
A4 1.6 (75 KW) (2000-2001)
A4 1.6 (75 KW) (2001-2004)
A6 1.8 (2004-2006)
A6L 2.0 TFSI (2005-)
A6 ALLROAD 2.7 V6 (2000-2005)
A6 ALLROAD 3.0 TFSI (2008-2011)
A6 1.8 20V (2000-2001)
A6 2.4 (2005-2008)
A8 2.8 V6 30V QUATTRO (142 KW) (1999-2003)
A8 3.2 FSI (2006-2010)
TT 1.8 TURBO (110 KW) (2001-2006)
TT 3.2 QUATTRO (2006-2010)
TT ROADSTER 3.2 QUATTRO (2007-2010)

VOLKSWAGEN

BORA 1.4 16V (2000-2005)
CADDY 1.4 (55 KW) (2004-2009)
CADDY COMBI 1.4 (55 KW) (2004-2009)
EOS 1.6 16V FSI (2006-2008)
GOLF IV 1.4 16V (2000-2004)
GOLF PLUS 1.4 16V (55 KW) (2005-2006)
GOLF V 1.4 16V (55 KW) (2003-2006)
GOLF V VARIANT 1.4 16V (59 KW) (2007-2009)
JETTA 1.6 (2005-2009)
MULTIVAN 2.0 (2003-2009)
NEW BEETLE 1.4 16V (2003-2010)
PASSAT 1.6 (2000-2005)
PASSAT 1.6 (2005-2010)
POLO 1.2 (2002-2005)
SHARAN 1.8 20V TURBO (2000-2010)
TIGUAN 2.0 TFSI (125 KW) 4MOTION (2011-)
TOUAREG 3.2 V6 (162 KW) (2002-2004)
TOURAN 1.6 (75 KW) (2003-2006)
TOURAN 1.6 (75 KW) (2006-2010)
TRANSPORTER / CARAVELLE 2.0 (85 KW) (2003-2010)

PORSCHE

CAYENNE (2004-2007)

SKODA

FABIA 1.0 (2000-2002)
FABIA II 1.2 6V (2007-2010)
SUPERB 1.8 20VT (2001-2008)
OCTAVIA I 1.4 (55 KW) (2002-2010)
OCTAVIA II 1.4 16V (55 KW) (2004-2006)
PRAKTIK 1.2 12V (2007-2010)
ROOMSTER 1.2 12V (47 KW) (2006-2010)

LINDE

H40T (2006-)

New OEM approval: RAVENOL WIV SAE 0W-30

We are happy to be able to present the following product with an **additional approval** from Volkswagen: **RAVENOL WIV SAE 0W-30**

Now new with the Volkswagen approvals:
VW 503 00 / 506 00 / 506 01



RAVENOL WIV SAE 0W-30

RAVENOL WIV SAE 0W-30 is a fully synthetic PAO-based low friction engine oil with CleanSynto® technology. It was specially developed for VW and Audi petrol and diesel engines (from model year 2000 onwards with WIV extended oil change intervals). **RAVENOL WIV SAE 0W-30** reduces friction, wear and tear and fuel consumption as well as delivering excellent cold start performance. It allows oil change intervals to be extended in accordance with manufacturer instructions. **RAVENOL WIV SAE 0W-30** enables maintenance intervals to be significantly extended and offers excellent cold start performance, as the system is more rapidly lubricated. It guarantees reduced friction losses and high oil film stability, as well as outstanding viscosity-temperature characteristics.



VW NORM 506 00

AUDI

A3 1.9 TDI (66 KW) 8L(2000-2003)
A3 1.9 TDI (81 KW) 8L(2000-2003)
A4 2.5 TDI V6 (110 KW) (1998-2001)
A4 2.5 TDI V6 (114 KW) (2001-2002)
A6 1.9 TDI (81 KW) (2000-2001)
A6 2.5 TDI V6 (110 KW) (2000-2005)
A6 2.5 TDI V6 (110 KW) QUATTRO (2000-2005)
A6 2.5 TDI V6 (114 KW) (2001-2003)
A8 2.5 V6 TDI (110 KW) (1997-2003)

VOLKSWAGEN

GOLF IV 1.9 TDI (81 KW) (2000-2004)
PASSAT 2.5 V6 TDI (110 KW) (2000-2003)
PASSAT 2.5 V6 TDI (110 KW) 4MOTION (2000-2003)
PASSAT 2.5 V6 TDI (120 KW) (2003-2005)
PASSAT 2.5 V6 TDI (132 KW) 4MOTION (2003-2005)
POLO 1.9 SDI (2002-2005)
TRANSPORTER / CARAVELLE 2.5 TDI (75 KW) (2000-2003)
TRANSPORTER / CARAVELLE 2.5 TDI SYNCRO (75 KW) (2000-2003)

LINDE

H14D (2006-)
H16D (2006-)
H18D (2006-)
H20-600D (2006-)
H20D (2006-)
H20T (-)
H25T (-)

VW MARINE

SDI 50-4 (2002-2012)
SDI 55-5 (2002-2012)
SDI 60-4 (2002-2012)
SDI 75-5 (2002-2012)
TDI 100-5 (2002-2012)
TDI 120-5 (2002-2012)
TDI 150-5 (2002-2012)
TDI 150-5 D (2002-2012)
TDI 165-5 (2002-2012)
TDI 225-6 (2005-2012)
TDI 75-4 (2008-2012)
TDI 90-4 (2010-2012)

If your vehicle is not listed in the table, we would recommend you use our oil finder at <http://www.ravenol.de/en/oil-guide.html>, where you are guaranteed to find the right oil for your vehicle.

For more informations and specifications, please contact our sales team or visit our website <http://www.ravenol.de/en/products/usage/d/Product/show/p/ravenol-wiv-sae-0w-30.html>

New OEM approval: RAVENOL WIV SAE 0W-30

We are happy to be able to present the following product with an **additional approval** from Volkswagen: **RAVENOL WIV SAE 0W-30**

Now new with the Volkswagen approvals:
VW 503 00 / 506 00 / 506 01

VW NORM 506 01

AUDI

A2 1.2 TDI (2000-2005)	A6 1.9 TDI (96 KW) (2001-2005)
A2 1.4 TDI (55 KW) (2000-2005)	A6 2.5 TDI V6 (120 KW) (2000-2005)
A2 1.4 TDI (66 KW) (2004-2005)	A6 2.5 TDI V6 (132 KW) (2000-2005)
A3 1.9 TDI (74 KW) 8L (2000-2003)	A6 2.5 TDI V6 (132 KW) QUATTRO (2000-2005)
A3 1.9 TDI (96 KW) 8L (2000-2003)	A6 ALLROAD 2.5 TDI (120 KW) (2003-2005)
A3 1.9 TDI (96 KW) QUATTRO 8L (2000-2003)	A6 ALLROAD 2.5 TDI (132 KW) (2000-2005)
A3 1.9 TDI (2003-2006)	A6 2.0 TDI (100 KW) (2005-2008)
A3 2.0 TDI (100 KW) (2003-2008)	A6 2.0 TDI (103 KW) (2005-2008)
A3 2.0 TDI (103 KW) (2003-2006)	A6 2.7 TDI (120 KW) (2005-2008) A6 2.7 TDI QUATTRO (120 KW) (2005-2008)
A4 1.9 TDI (74 KW) (2001-2004)	A6 2.7 TDI (132 KW) (2005-2008)
A4 1.9 TDI (85 KW) (2004-2006)	A6 2.7 TDI QUATTRO (132 KW) (2005-2008)
A4 1.9 TDI (96 KW) (2001-2005)	A6 3.0 TDI QUATTRO (155 KW) (2005-2008)
A4 1.9 TDI QUATTRO (96 KW) (2001-2005)	A6 3.0 TDI QUATTRO (165 KW) (2005-2008)
A4 2.0 TDI 16V (89 KW) (2006-2007)	A6 ALLROAD 2.7 TDI (120 KW) (2006-2008)
A4 2.0 TDI 16V (93 KW) (2005-2007)	A6 ALLROAD 2.7 TDI (132 KW) (2006-2008)
A4 2.0 TDI 16V (100 KW) (2004-2006)	A8 2.5 V6 TDI (132 KW) (1999-2003)
A4 2.0 TDI 16V (103 KW) (2004-2006)	A8 2.5 V6 TDI (132 KW) QUATTRO (1999-2003)
A4 2.5 TDI V6 (120 KW) (2002-2006)	A8 3.0 TDI QUATTRO (155 KW) (2003-2010)
A4 2.5 TDI V6 (132 KW) (2001-2005)	A8 3.0 TDI QUATTRO (171 KW) (2003-2010)
A4 2.5 TDI V6 QUATTRO (132 KW) (2001-2005)	A8 4.0 TDI QUATTRO (2003-2006)

VOLKSWAGEN

GOLF IV 1.9 TDI (110 KW) (2000-2004)
GOLF V 1.9 TDI (66 KW) (2003-2008)
GOLF V 1.9 TDI (77 KW) 4MOTION (2003-2008)
GOLF V 2.0 TDI (100 KW) (2003-2008)
JETTA 1.9 TDI (2005-2008)
BORA 1.9 TDI (66 KW) (2000-2005)

MITSUBISHI

LANCER SPORTBACK 2.0 DI-D (2008-2011)
GRANDIS 2.0 DI-D (2005-2010)
OUTLANDER 2.0 DI-D (2007-2010)



RAVENOL WIV SAE 0W-30

RAVENOL WIV SAE 0W-30 is a fully synthetic PAO-based low friction engine oil with CleanSynto® technology. It was specially developed for VW and Audi petrol and diesel engines (from model year 2000 onwards with WIV extended oil change intervals). **RAVENOL WIV SAE 0W-30** reduces friction, wear and tear and fuel consumption as well as delivering excellent cold start performance. It allows oil change intervals to be extended in accordance with manufacturer instructions. **RAVENOL WIV SAE 0W-30** enables maintenance intervals to be significantly extended and offers excellent cold start performance, as the system is more rapidly lubricated. It guarantees reduced friction losses and high oil film stability, as well as outstanding viscosity-temperature characteristics.



New OEM approval: RAVENOL WIV SAE 0W-30

We are happy to be able to present the following product with an **additional approval** from Volkswagen: **RAVENOL WIV SAE 0W-30**

Now new with the Volkswagen approvals:
VW 503 00 / 506 00 / 506 01



RAVENOL WIV SAE 0W-30

RAVENOL WIV SAE 0W-30 is a fully synthetic PAO-based low friction engine oil with CleanSynto® technology. It was specially developed for VW and Audi petrol and diesel engines (from model year 2000 onwards with WIV extended oil change intervals). **RAVENOL WIV SAE 0W-30** reduces friction, wear and tear and fuel consumption as well as delivering excellent cold start performance. It allows oil change intervals to be extended in accordance with manufacturer instructions. **RAVENOL WIV SAE 0W-30** enables maintenance intervals to be significantly extended and offers excellent cold start performance, as the system is more rapidly lubricated. It guarantees reduced friction losses and high oil film stability, as well as outstanding viscosity-temperature characteristics.



SEAT

IBIZA 1.4 TDI (51 KW) (2005-2008)
IBIZA 1.9 TDI (118 KW) (2004-2008)
CORDOBA 1.4 TDI (51 KW)
(2005-2008)
ALHAMBRA 2.0 TDI (103 KW)
(2005-2010)

SKODA

FABIA 1.4 TDI (51 KW) (2005-2007)
FABIA 1.4 TDI (55 KW) (2003-2005)
FABIA 1.9 SDI (2000-2005)
FABIA 1.9 TDI (74 KW) (2000-2007)
FABIA 1.9 TDI (96 KW) (2003-2007)
FABIA II 1.4 TDI (51 KW) (2007-2010)
FABIA II 1.4 TDI (59 KW) (2007-2010)
FABIA II 1.9 TDI (77 KW) (2007-2010)
ROOMSTER 1.4 TDI (51 KW) (2006-2008)
ROOMSTER 1.9 TDI (74 KW) (2006-2010)
OCTAVIA I 1.9 SDI (2000-2004)
OCTAVIA I 1.9 TDI (66 KW) (2000-2010)
OCTAVIA I 1.9 TDI (66 KW) 4X4 (2000-2006)
OCTAVIA I 1.9 TDI (74 KW) (2005-2010)
OCTAVIA I 1.9 TDI (74 KW) 4X4 (2000-2006)
OCTAVIA I 1.9 TDI (81 KW) (2000-2006)
OCTAVIA I 1.9 TDI (96 KW) (2002-2004)
OCTAVIA II 1.9 TDI (2004-2013)
OCTAVIA II 1.9 TDI 4X4 (2004-2010)
OCTAVIA II 2.0 TDI (100 KW) (2004-2010)
OCTAVIA II 2.0 TDI (103 KW) (2004-2010)
OCTAVIA II 2.0 TDI 4X4 (103 KW)
(2005-2010)
SUPERB 1.9 TDI (74 KW) (2001-2006)
TOUAREG 5.0 V10 TDI (2002-2010)
CADDY COMBI 1.9 TDI (77 KW) (2004-2010)
SUPERB 1.9 TDI (77 KW) (2006-2008)
SUPERB 1.9 TDI (96 KW) (2001-2005)
SUPERB 2.0 TDI (103 KW) (2006-2010)
SUPERB 2.5 TDI (114 KW) (2001-2003)
SUPERB 2.5 TDI (120 KW) (2003-2008)
SUPERB II 1.9 TDI (77 KW) (2008-2010)
SUPERB II 2.0 TDI (103 KW) (2008-2010)
PRAKTIK 1.4 TDI (51 KW) (2007-2010)

If your vehicle is not listed in the table, we would recommend you use our oil finder at <http://www.ravenol.de/en/oil-guide.html>, where you are guaranteed to find the right oil for your vehicle.

For more informations and specifications, please contact our sales team or visit our website <http://www.ravenol.de/en/products/usage/d/Product/show/p/ravenol-wiv-sae-0w-30.html>